


STEEL STRUT & FITTINGS

2024 Line Card



Stay Ahead with Rep Materials Company



Rep Materials Company - Strut Line Card



Strut Channel, Elongated Holes (Deep Profile)

- 12 Gauge Channel with Elongated Holes 9/16" x 1-1/8" on 2" Centers •1-5/8" x 1-5/8"
- Wt./100' = 189#
- Pre-Galvanized Steel ASTM A653



Strut Channel, Solid (Deep Profile)

- 12 Gauge Channel
- 1-5/8" x 1-5/8" • Wt./100' = 194#
- Pre-Galvanized Steel ASTM A653



Strut Channel, Elongated Holes (Shallow Profile)

- 14 Gauge Channel with Elongated Holes 9/16" x 1-1/8" on 2" Centers •13/16" x 1-5/8"
- Wt./100' = 98#
- Pre-Galvanized Steel ASTM A653




Strut Channel, Solid (Shallow Profile)

- 14 Gauge Channel • 13/16" x 1-5/8"
- Wt./100' = 103#
- Pre-Galvanized Steel ASTM A653



Strut Channel Back to Back **Elongated Holes**

- 12 Gauge Back to Back Welded Channel with Elongated Holes 9/16" x 1-1/8" on 2" Centers
- 3-1/4" x 1-5/8"
- Wt./100' = 378#
- Pre-Galvanized Steel ASTM A653



Strut Channel Back to Back, Solid

- 12 Gauge Back to Back Welded Channel 2-Pieces
- 3-1/4" x 1-5/8"
- Wt./100' = 388#
- Pre-Galvanized Steel ASTM A653




EMT Strut Strap

 Manufactured to fit standard openings of 1-5/8" strut channel • Designed in sizes ½" thru 4" to support EMT conduit (please specify conduit size when ordering)
• EMT Strut Straps are Electro



Rigid Strut Strap

- Manufactured to fit standard openings of 1-5/8" strut channel
- Designed in sizes ½" thru 6" to support Rigid conduit (please specify conduit size when ordering)
- · Rigid Strut Straps are Electro Galvanized



U-Bolt Beam Clamp

- Manufactured to secure 1-5/8" strut channels or all thread rod to beams or supports
- U-Bolt Beam Clamps are Electro Galvanized 1/4" thick steel



Beam Clamp

- Manufactured to secure 1-5/8" strut channels or all thread rod to beams or supports
- Beam Clamps are manufactured from Electro Galvanized cast iron • Support for beams with a flange thickness not to exceed 5/8"



Plain Channel Nut

- Designed to grip the returned lip of the strut channel
- Sizes ¼", 3/8" and ½" Grip Nuts are Electro Galvanized



Spring Channel Nut

- Designed to grip the returned lip of deep profile strut channel · Sizes ¼", 3/8" and ½"
- Grip Nuts are Electro Galvanized



Single Channel Post Base

• Designed to fit 1-5/8" Strut Channel Manufactured from ¼" Electro Galvanized Steel



Double Channel Post Base

 Designed to fit 1-5/8" Strut Channel Manufactured from ¼" Electro Galvanized Steel



All Thread Rod

- Manufactured from Electro
- Galvanized Steel Rod • Sizes ¼", 3/8", ½"



Square Washers

- Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galva-
- nized 1/4" Steel Plate
- Sizes ¼", 3/8", ½"



Four Hole Splice Plate

 Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



Three Hole Flat Angle Plate

• Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



Four Hole "T" Plate

• Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



Four Hole Corner Joiner Plate

Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



 Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate




90° Corner Angle

• Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



90° Connection Angle

 Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



Three Hole 90° Bracket

 Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate



 Designed to fit 1-5/8" Strut Channel Manufactured from Electro Galvanized 1/4" Steel Plate